

DATE-TIME RECEIVED  
15 APR 74 1159  
DATE-TIME OCC.  
15 APR 74



HURSTON COUNTY SHERIFF'S DEPARTMENT  
FIELD INVESTIGATION REPORT

73-17592-12

DATE TIME OF REPORT  
15 APR 74 - 1210 / 1 hr.

CASE NUMBER  
74-5372-4

OFFENSE REPORT-TYPE OF OFFENSE A House Fire		OFFENSE CHANGED TO 24 D		LOCATION OF OFFENSE AND/OR ARREST SCOTT LAKE - OLY					
WATCH B 1	DISTRICT 1	ZONE -	OFFICER INGRAM	SER. NO. 53	OFFICER BURGER	SER. NO. 39			
COMPLAINANT C C-39		SEX	AGE	ADDRESS		PHONE - BUS. HOME			
VICTIM D COSDEN, BILL		SEX	AGE	ADDRESS SCOTT LAKE 1332-1 <sup>st</sup> (R4. OLY)		PHONE - BUS. HOME NONE			
WITNESS NO. 1		SEX	AGE	ADDRESS		PHONE - BUS. HOME			
SUSPECT NO. 1		SEX	AGE	ADDRESS		PHONE - BUS. HOME			
SUSPECTED <input type="checkbox"/> ARRESTED <input type="checkbox"/>		CLOTHING							
RACE	SEX	AGE	HGT.	WT.	BUILD	COMP.	EYES	HAIR	EMPLOYER
DATE OF BIRTH		PLACE OF BIRTH		SOC. SEC. NO.		OP. LICENSE NO.		OCCUPATION	
SUSPECT <input type="checkbox"/> VICTIM <input type="checkbox"/>	AUTO YEAR	MAKE	MODEL	COLOR	LICENSE NO.	STATE	VEHICLE IMPOUNDED <input type="checkbox"/> NOT IMPOUNDED <input type="checkbox"/>		
WHERE STORED		LIST PROPERTY IN VEHICLE							

- (1) Identify additional victims.
- (2) Identify additional witnesses.
- (3) Identify and/or describe additional suspects.
- (4) Describe property taken, showing serial numbers, identifying marks, and value of each.
- (5) Describe vehicle used by suspect and disposition.
- (6) Describe physical evidence, where found, by whom
- (7) Describe victim's injuries, and where medical exam occurred.
- (8) Report all property damaged—describe damage and indicate amount of loss.
- (9) Describe premises or vehicle of victim and where parked.
- (10) For burglary and larceny (car prowl) reports describe entry, where and how, and tool used.
- (11) Reconstruct incident (offense and/or arrest).
- (12) Indicate time and location where victims and witnesses may be contacted later, by follow-up investigators.
- (13) Entry and exit.

L (8) Victim's 1 story Frame home approx 700 sq ft totally  
M destroyed. WALLS still standing, but Fire through roof  
N AND WALLS IN SEVERAL PLACES Amount of LOSS - \$10,000 est.  
O (11) NABORS discovered victim's home on FIRE +  
P CALLED FIRE DEPT. East Olympia, Little Rock AND  
Q TUMWATER Fire DEPTs responded with 7 trucks.  
R PUGET POWER removed hot wires.  
S No injuries, FIRE CONTAINED.  
T  
U  
V  
W  
X  
Y

Thurston County Sheriff's Department  
Supplemental Report

73-17592-12

Date of Report 4-15-74 District 1 Shift Evening Case Number 74-5372-7  
Date of Occurance 4-15-74 Officer Eagan Type of Complaint Pass Arrest

Crimmy checked call stating that the fire  
at Scott's was out. Bill Credon as  
he is trying to collect all insurance money  
he can. V

Patty Eagan

STATE OF WASHINGTON  
OFFICE OF  
STATE FIRE MARSHAL

REPLY TO  
73-17592-12  
OLYMPIA OFFICE  
INSURANCE BUILDING  
OLYMPIA, WASHINGTON 98504  
753-3605, AREA CODE 206  
3605

INVESTIGATION REPORT

Title of case WILLIAM EARL COSDEN, JR. File No. SFM 74-147  
Date of fire April 15, 19 74 at 11:50 A.M. Investigated by Sherman Frase  
Location Rt. 4, 1332 1st St. West Olympia Thurston  
(street) (city) (county)  
Owner William Earl Cosden, Jr. Occupant Same

Insurance Company	Policy No.	Effective Dates	Coverage	Amount
PENNSYLVANIA GENERAL	9 H1011119	3-22-74 to 75	Structure	\$20,000.00
			Contents	10,000.00

Previous fire record Pick-up truck fire on November 26, 1973; house fire on 1-29-74  
Loss payable to William Cosden, Jr.  
Recent increases, changes April 5, 1974, increase \$33,000 & \$16,500 for proposed addition  
Agent Olympia Insurance Brokers, Inc., 315 E. 5th Ave., phone 352-7676  
Adjuster R. G. Wallace, GAB, 120 Union Ave., Olympia, phone 943-2720  
Property involved One story, two bedroom, frame dwelling  
Where fire started Laundry room; area of origin  
Probable cause Undetermined  
Extent of damage Total  
Injuries or deaths None  
Final disposition of case Open

Details This writer was enroute to this fire scene at 2:20 p.m., on Monday, April 15, 1974.  
Mr. Jerry Maury, Jr., of the Olympia Insurance Brokers, was the only person at the fire scene  
on this Deputy's arrival. The fire department had left the scene a short time before.  
The fire scene was a small, one story, two bedroom dwelling, with vertical wood siding, with

Page 2

SFM 74-147

a tar roof over  $\frac{1}{2}$ " tongue and groove shiplap. Internal wall covering and ceiling covering consisted of  $\frac{1}{2}$ " plasterboard.

The entire dwelling sustained heavy fire and heat damage, however, the laundry room area, which was also used as a baby's bedroom, sustained, by far, the heaviest damage. This room lost practically its entire roof area and large floor penetrations were in evidence within this room. The floor stringers beneath the penetration were not heavily damaged and had indication of a fire burning top to the bottom of the floor.

A narrow area of floor penetration extended under the baseboard electric heating element, right up to the wall area. A large pile of fire debris from the burned out roof section was laying on the ground beneath the floor stringers. Other items, such as portable electric heater, boots, a metal ironing board and other debris, had been shoveled out of the room and was in the backyard, adjacent to the laundry room. The north wall of the laundry room, which separated the laundry room from the main bedroom area, sustained heavy fire damage, however, the wall studs were not burned out, but did sustain a heavy char. The southwest wall area of the laundry room, which contained the washer, dryer and shelves, did not have any exterior penetration, but was in relatively good condition. Char pattern on these wall studs had a wide alligatoring, indicating a slow build-up in this area. It should be noted that folding doors separated the washer and dryer and shelving area from the main part of the room. The ceiling and roof area was burned out completely to the south or west wall edge, with portions of roof for approximately 3 or 4' were still left hanging over from the north wall. Fire tapering on the ceiling stringers indicated the fire burning from south to north direction.

Page 3

SFM 74-147

While examining the fire debris under the house, under the floor penetrations in the laundry room, this writer found a five gallon gasoline can. On examination, it was noted that the spout on the can was closed, in that the spout was inverted into the can. The vent covering on top of the can had been burned away and the top of the can had bubbled and buckled showing pressure from within the can, caused by heat. It should be pointed out that this can was laying beside the debris and was in no way covered by it, however, it was laying close enough to the debris that it could have sustained its heat from this debris.

During this same time, it was noted that a foundation stringer, approximately in the center of the house, was burning and a request was given to a neighbor to call the fire department back to the scene. The Littlerock Fire Department (Thurston County Fire District #11) responded with one engine and three men. The fire was extinguished by attacking from underneath and by cutting a hole through the floor just off the kitchen area. The driver of this engine was a Ken Davis and he stated that he was first in on the engine at the first fire that morning. He stated that on arrival, flames were emitting from both the front and rear of the house and that the doors and windows were gone at this time. Stated he did not notice if fire was emitting from the roof at this time or not.

#### Summation:

1. Due to the fire pattern within the laundry room area, it was very evident that this was the area of origin, with total roof burn away and large floor penetration. This was also the only area with floor penetration.
2. The fire department had completely shoveled out and cleaned out all debris within this laundry room. All debris being either under the floor area underground or in the backyard.

1029

Page 4

SFM 74-147

3. There are indications of a fairly fast fire on the north wall studs after the plasterboard had given away.
4. Prior fires of William Cosden includes: a. Pick-up truck, insured damages of \$3935.00. On November 26, 1973. b. Bathroom fire, same dwelling on January 29, 1974. Insured loss \$1600.00.

This fire is being considered one of undetermined origin at this time, however, the case will remain open.

SHERMAN FRASE  
Deputy State Fire Marshal

SF:kje  
April 19, 1974

1030

William EARL COSDEN JR. SFM ~~78-11592-147~~  
RT 4, 1332 FIRST STREET WEST, OLYMPIA.

- FRASE

= WASHER.

① = ROOM OF ORIGIN.


B = DRYER.


C = ELECTRIC

BASEBOARD HEATER.

X = FLOOR PENETRATIONS.

↑  
N.  
—





IV  
↓

Drawn by Rita Corder  
Babus room and laundry room

## WASHINGTON STATE FIRE MARSHAL

## PHOTOGRAPHIC INDEX

Title WILLIAM COSDEN

File # SFM 74-147  
 County Thurston  
 Date of Incident 4-15-74  
 Date of this Report 4-23-74  
 By Sherman Frase  
 Investigator

Item No.	Description
1.	Identification picture - dwelling of William Cosden, address 1332 1st St. E., Scott Lake Addition, Olympia. (Littlerock area) View looking in northerly direction, front entryway.
2.	Another view of front entryway looking through house.
3.	View of driveway side of dwelling, southwest wall area. Looking into kitchen area.
4.	Closer view of picture #3, looking into kitchen area, with remains of meter on right side of picture.
5.	View of rear of dwelling; west wall. Master bedroom on left side of picture, while laundry room and baby's room is on right side of picture, which was area of origin. Note debris on ground which had been shoveled from laundry room area. Red circle indicates location of 5 gallon gas can, which was found approximately 2' in under floor area next to debris.
6.	Picture of gas can found under laundry room floor.
7.	Closer view of same gas can. Note exposed condition, with missing vent cover on top of can. Note can spout inverted in closed position.
8.	Area looking over debris in backyard; looking under house, under laundry area. Debris is portions of floor and roof. Also area where gas can was found.
9.	View of debris found on laundry room side; backyard, next to house. Debris including shoes, boots, metal ironing board, electric space heater, etc.
10.	Same as photograph #9.
11.	View of debris found on bedroom side, rear of dwelling, backyard. Debris included the bed springs, plus remains of a mattress and other debris.
12.	View of east side, living room area. Note plasterboard held fairly well on this wall.

## PHOTOGRAPHIC INDEX Page 2

File # SFM 74-147

County \_\_\_\_\_

Date of Incident \_\_\_\_\_

Date of this Report \_\_\_\_\_

By \_\_\_\_\_

Investigator \_\_\_\_\_

Title WILLIAM COSDEN

Item No. /

Description

13. Southwest area; living room wall; bookcase shelving.
14. Picture taken from living room, looking in westerly direction, through pass through area in wall, looking into kitchen.
15. View of kitchen area, looking in southerly direction.
16. Floor penetration just north of kitchen area and west of living room area, in what would be classified as corridor. These penetrations were cut-outs by the fire department on the second fire or rekindling fire. Foundation timber had rekindled and Littlerock Fire Department cut out area to reach fire.
17. Same as photograph #16.
18. View of master bedroom; northwest area of dwelling.
19. Same as photograph #18.
20. View of south wall; laundry room area, with washer and dryer. Note good condition of interior side of exterior horizontal shiplap.
21. View of floor penetrations and burn away in laundry room. Note burn penetration right up under baseboard heater.
22. thru  
26. Same as photograph #21.
27. Inner view of floor stringers across laundry room, noting slight burn indication from top to bottom.
28. View of the only portion of roof area in laundry room, which sustained practically total roof burn away.

SF:kje

SUPPLEMENTAL REPORT

Title WILLIAM EARL COSDEN, JR.

File # SFM 74-147  
County Thurston  
Date of Incident 4-15-74  
Date of this Report 4-30-74  
By Sherman Frase  
Investigator

Due to there being no further evidence or leads as to cause of this fire, it is considered closed.

SHERMAN FRASE  
Deputy State Fire Marshal

SF:kje  
April 30, 1974

## CONFIDENTIAL REPORT

File # SMF 74-147

County Thurston

Date of Incident Apr 15, 1974

Date of this Report Apr 17, 1974

By Sherman Frase

Title WILLIAM COSDEN

Investigator

This deputy, after examining the gas can found under the floor level of the laundry room on the afternoon of April 15, 1974, placed the can upright next to the wall of the house beside the rest of the debris. On returning to the fire scene the following morning, April 16, 1974, it was noted that the gas can was missing. This writer asked William Cosden and his wife, Rita, who were on the scene at this time, if they had moved anything from the area of the debris and they stated "no." This deputy then made a circle survey of the backyard area and found the gas can next to a fence in the rear of the yard behind some pine trees.

A voluntary written statement was given to this writer by Cosden after first reading and signing his Waiver of Rights. This was witnessed by Robert Wallace, Branch Manager of the General Adjustment Bureau, Olympia. Cosden states in his statement that he went to work approximately 8:30 a.m., left work at about 10:00 a.m., came and stayed home until approximately 11:00 a.m., then drove his car until about 11:30 when we went over to a Stella Hargett where his wife works as a beautician. This writer then asked Cosden if he did in truth move the gas can and he stated yes he did that "the gas can looked bad sitting there." Stated that the gas can had been emptied and had been placed in the back yard next to the wall of the laundry room.

After receiving Cosden's statement, this writer then went to the Thurston County Sheriff's office, Olympia. A discussion with Thurston County Deputy Tom Goodeve then took place regarding this fire and Cosden's background. A conference was then held with Jack Crawford, Thurston County Undersheriff, regarding this same matter. Crawford stated that William Cosden is not above

Page 2

SFM 74-147

telling falsehoods and is rather hard to get a straight answer out of. Cosden also applied for a concealed weapons permit a short time back and the Sheriff's office refused him one. He is supposedly known to have in his possession a 357 Magnum revolver.

Ron Brown, Chief of Fire Science and Investigation, Washington State Fire Marshal's office was then notified of the prior fires that Cosden has had and the request will be sent to the State of Maryland authorities regarding any fires Cosden may have had in that state.

On Thursday, April 18, 1974, this writer contacted Mr. Terry Olson, Branch Manager, Evergreen Savings & Loan, 817 Sleater-Kinnery Road SE, Lacey, Telephone 491-4340. Olson informed this deputy that Cosden took out a mortgage in 1972 for his dwelling and at the present times owes \$13,869 on the mortgage. A loan for improvements amounting to \$8,500 for an addition onto his dwelling had been approved on the week of April 8, 1974. Olson states that on Monday, April 15, 1974, at approximately 10:00 a.m., Cosden called his office in regards to the improvement loan. Sometime between 11:-- and 11:30 a.m. on April 15th, Mr. Olson returned his call and stated that Cosden was very angry about the length of time for the loan. Olson informed him that if he didn't like the manner in which the loan was being made out, he could elsewhere. It was reported from Olson that Cosden was very angry at this time. Olson stated that the Blue Star Construction Company operated by David Burkey, with last known address of 1912 Conger St., Olympia, was to have done the addition work.

Time again of the phone call between Olson and Cosden was approximately 11:00 a.m. to 11:30 a.m. The alarm time for this fire, as noted, was 11:50 a.m.

These are the known facts up to this date and the case will remain open.

SHERMAN FRASE  
Deputy State Fire Marshal

SF:lrj  
April 23, 1974

1037

Date April 15, 197

Other Reference Thurston County Sheriff and  
73-17592-12

Location Rt. 4, 1332 1st St. W., Olympia

Bob Wallace, GAB, Olympia

Event house fire

SUBJECT	FILED AS
<p>✓ COSDEN, JR., WILLIAM EARL dob 12-19-46 POB Baltimore, Maryland</p>	<p>owner/occupant. Had prior house fire on 1-29-74, bathroom fire, loss \$1,600.00 Pick-up fire 11-26-73. 1972 International loss \$3,935.00</p>



OFFICE OF  
STATE FIRE MARSHAL  
OLYMPIA  
98501

SFM # 74-147

YOUR RIGHTS

Place RT 4, 1332 First St. West  
Olympia  
Date April 16, 1974  
Time 9:10 A/M

Before we ask you any questions, you must understand your rights.

You have the right to remain silent.

Anything you say can be used against you in court.

You have the right to talk to a lawyer for advice before we ask you any questions and to have him with you during questioning.

If you cannot afford a lawyer, one will be appointed for you before any questioning if you wish.

If you decide to answer questions now without a lawyer present, you will still have the right to stop answering at any time. You also have the right to stop answering at any time until you talk to a lawyer.

WAIVER OF RIGHTS

I have read this statement of my rights and I understand what my rights are. I am willing to make a statement and answer questions. I do not want a lawyer at this time. I understand and know what I am doing. No promises or threats have been made to me and no pressure or coercion of any kind has been used against me.

Signed Carl  
Bill Visher

Witness Sherman Trase

Witness Robert Gene Walker

Time 9:12 A/M

Date April 16, 1974

Date: April 16, 1974 Time: commenced 9:13 <sup>A/M</sup> Completed 9:52 <sup>A/M</sup>Taken at: RT. 4, 1332 First Street West, Olympia, Wash.Full name: William Earl Croden Jr Date of birth 12-19-46Address: RT 4, 1332 First St. West, Olympia, Washington  
(street) (city) (state)

I, William E. Croden Jr, do hereby make the following statement to Sherman Chase, who has identified himself as a representative of the Washington State Fire Marshal's office. It represents a full and true account of the facts, to the best of my knowledge, and is made voluntarily without any threats, promises or favors.

Am. 27 years of age I was Baltimore Md.  
on 12/19/46 I have lived in Olympia, Wash.  
3 1/2 year I lived on the west side of Oly.  
in Lacey, and for 2 years lived at this  
address. Scott Lake.

on the 15th I went to work about  
8:30 and left at about 10:00 Came  
home stay until about 11:00 drove  
in my car. about 11:30 I went over  
to Stella Bargett where my wife works  
talked for about 15 min. then  
we called the Dr. from for a appointm  
Mrs. Rose came in an asked did you  
call the Fire Department and I  
said no why? And she said  
your house is on Fire. I ran to my  
car and came home.

## VOLUNTARY STATEMENT

When I reached home the house was covered in smoke & flames. Mr. Bruen was on the porch and another man had my dog. My wife kept saying save the Bobby pictures they are in the living room. Mr. Bruen tried to go in the front door but was driven back by smoke. I said close the door young lady, the fire but to no avail the tops of the beds were broke in to gether we broke the remain glass then so we could save the album and use the garden hose on the fire.

I had two other fires, 1 house fire in same house on Nov. but I put it out before Fire Dept. Ever got hear, 1 truck fire Oct. 26 gas tanks leaked on Ex. pipe while I was driving down the road. apt. 1 mile from home on Case Rd.

I move gas can this morning that was beside house. broke because it did not loop good.

I'm now staying at my mother in laws. Apt. 8 446A Little Rock

392-2316

William E. Carl

Sherman Froese

Page 2 of 2 pages.

"Daily Oly." 4-15-74

## Fire Levels SFm # 74-147 Rural Home

Fire of undetermined origin Monday morning swept through the Bill Cosden residence at 1332 1st Ave. in the Scott Lake addition. No injuries were reported.

According to initial reports Mrs. Raymond Bruhn, a neighbor of the Cosden family, observed flames shooting from the house shortly before noon. Mrs. Bruhn telephoned fire control dispatch as her husband ran to the Cosden home to see if any members of the family were trapped inside. Bruhn crawled on his hands and knees inside the Cosden front door, but was unable to continue further as he was turned back by heavy smoke.

The Littlerock Fire Department responded to the emergency and arrived at the scene eight minutes after Mrs. Bruhn telephoned in the alarm. Nine minutes later, Littlerock smoke-eaters telephoned dispatch announcing that they had run out of water and called for assistance.

Mrs. Bruhn said the Cosden home was all but leveled and that there is little hope of salvaging any of the family's belongings.

Fire Control said Mrs. Cosden was visiting other neighbors when the blaze broke out. The Cosden's have one child.

4 The Daily Olympian, Tuesday, April 16, 1974

## Cosden Fire Probe Launched

The State Fire Marshal's Office has been called in to investigate a fire that swept through the Bill Cosden residence Monday at 1332 1st Ave. in the Scott Lake Addition.

No cause has been listed in the noon fire which destroyed the single bedroom home and its contents. The loss has been set at \$18,000. A spokesman for the Littlerock Fire Department said the loss was at least partially covered by insurance.

The Littlerock department responded to the alarm, then called for assistance from Tumwater and East Olympia when it ran out of water. A total of three pumpers and three tankers fought the blaze, which left only the four walls standing.

[ DUPLICATE ]

73-17592-12

THURSTON COUNTY FIRE CONTROL INCIDENT REPORT

(check one)  
 City of Olympia \_\_\_\_\_  
 City of Lacey \_\_\_\_\_  
 City of Tumwater \_\_\_\_\_  
 Fire District No. 11  
 Town of Bucoda \_\_\_\_\_

Normal response XX  
 Auto. response \_\_\_\_\_  
 Mutual Aid \_\_\_\_\_

Incident No. 17  
 Date 15 April 74  
 Time 1151

I. Manpower  
 1. Engine No's. 12, 22, 32 Trucks \_\_\_\_\_ Rescue \_\_\_\_\_ Units \_\_\_\_\_ Other \_\_\_\_\_  
 2. No. of men: First Engine \_\_\_\_\_ Total \_\_\_\_\_  
 3. Police on scene TCSO Other services on scene Dist. #12 Tum.

II. Dispatch Information  
 1. First 10-8 1154 First 10-23 1159 First 10-17 1311 Last 10-24 \_\_\_\_\_ Last 10-25 \_\_\_\_\_  
 2. Source of alarm 2233 2234 T.F.D. Weather Conditions Clear/Dry  
 3. Phone recorder tape: Tape 8 Side 1 Footage 2472-2490  
 4. Radio recorder tape: Tape 10-7 Side \_\_\_\_\_ Footage \_\_\_\_\_

III. Incident Information  
 1. Owner-Address 1332 First St. East Phone \_\_\_\_\_  
 2. Occupant-Address Cosden Phone \_\_\_\_\_  
 3. Type of Incident 341 Fire in Bldg.

IV. Fire Information  
 1. Type of Occupancy single family dwelling  
 2. Cause of ignition unknown  
 3. Area of origin utility room  
 4. First Material Ignited unknown  
 5. Fire Discovered by \_\_\_\_\_  
 6. Wall framing \_\_\_\_\_ Wall finish \_\_\_\_\_  
 7. Floor framing \_\_\_\_\_ Floor covering \_\_\_\_\_  
 8. Roof framing \_\_\_\_\_ Roof covering \_\_\_\_\_  
 9. Area of bldg. \_\_\_\_\_ No. of stories \_\_\_\_\_  
 10. Material or evidence removed from scene \_\_\_\_\_ by: \_\_\_\_\_  
 11. Pictures taken \_\_\_\_\_ by: \_\_\_\_\_  
 12. Follow up Investigation requested \_\_\_\_\_ to: \_\_\_\_\_  
 13. Value of Bldg. unknown Contents unknown  
 14. Loss to bldg. unknown Contents unknown  
 15. Insurance Agent/Company \_\_\_\_\_ Address \_\_\_\_\_  
 16. Mobile: Year \_\_\_\_\_ Make \_\_\_\_\_ Model \_\_\_\_\_ License No. \_\_\_\_\_ State \_\_\_\_\_  
 17. Injuries \_\_\_\_\_  
 18. Equipment used: \_\_\_\_\_

V. Aid Call Information  
 1. Victim name and address \_\_\_\_\_ Phone \_\_\_\_\_  
 2. Age \_\_\_\_\_ Sex \_\_\_\_\_ Equipment used \_\_\_\_\_  
 3. Type of Call \_\_\_\_\_  
 4. Disposition of victim \_\_\_\_\_

Seed  
 Officer in charge

Ken Davis  
 Reporting Official

Jim Gibbs  
 Dispatcher

[DUPLICATE]

73-17592-12

THURSTON COUNTY FIRE CONTROL INCIDENT REPORT

(check one)  
 City of Olympia \_\_\_\_\_  
 City of Lacey \_\_\_\_\_  
 City of Tumwater \_\_\_\_\_  
 Fire District No. 11  
 Town of Bucoda \_\_\_\_\_

Normal response XX  
 Auto. response \_\_\_\_\_  
 Mutual Aid \_\_\_\_\_

Incident No. 17  
 Date 15 April 74  
 Time 1151

I. Manpower  
 1. Engine No's. 12, 22, 32 Trucks \_\_\_\_\_ Rescue \_\_\_\_\_ Units \_\_\_\_\_ Other \_\_\_\_\_  
 2. No. of men: First Engine \_\_\_\_\_ Total \_\_\_\_\_  
 3. Police on scene TCSO Other services on scene Dist. #12 Tum.

II. Dispatch Information  
 1. First 10-8 1154 First 10-23 1159 First 10-17 1311 Last 10-24 \_\_\_\_\_ Last 10-25 \_\_\_\_\_  
 2. Source of alarm 2233 2234 TFD Weather Conditions Clear/Dry  
 3. Phone recorder tape: Tape 8 Side 1 Footage 2472-2490  
 4. Radio recorder tape: Tape 10-7 Side \_\_\_\_\_ Footage \_\_\_\_\_

III. Incident Information  
 1. Owner-Address 1332 First St. East Phone \_\_\_\_\_  
 2. Occupant-Address Cosden Phone \_\_\_\_\_  
 3. Type of Incident 341 Fire in Bldg.

IV. Fire Information  
 1. Type of Occupancy single family dwelling  
 2. Cause of ignition unknown  
 3. Area of origin utility room  
 4. First Material Ignited unknown  
 5. Fire Discovered by \_\_\_\_\_  
 6. Wall framing \_\_\_\_\_ Wall finish \_\_\_\_\_  
 7. Floor framing \_\_\_\_\_ Floor covering \_\_\_\_\_  
 8. Roof framing \_\_\_\_\_ Roof covering \_\_\_\_\_  
 9. Area of bldg. \_\_\_\_\_ No. of stories \_\_\_\_\_  
 10. Material or evidence removed from scene \_\_\_\_\_ by: \_\_\_\_\_  
 11. Pictures taken \_\_\_\_\_ by: \_\_\_\_\_  
 12. Follow up Investigation requested \_\_\_\_\_ to: \_\_\_\_\_  
 13. Value of Bldg. unknown Contents unknown  
 14. Loss to bldg. unknown Contents unknown  
 15. Insurance Agent/Company \_\_\_\_\_ Address \_\_\_\_\_  
 16. Mobile: Year \_\_\_\_\_ Make \_\_\_\_\_ Model \_\_\_\_\_ License No. \_\_\_\_\_ State \_\_\_\_\_  
 17. Injuries \_\_\_\_\_  
 18. Equipment used: \_\_\_\_\_

V. Aid Call Information  
 1. Victim name and address \_\_\_\_\_ Phone \_\_\_\_\_  
 2. Age \_\_\_\_\_ Sex \_\_\_\_\_ Equipment used \_\_\_\_\_  
 3. Type of Call \_\_\_\_\_  
 4. Disposition of victim \_\_\_\_\_

Seed

Officer in charge

Ken Davis

Reporting Official

Jim Gibbs

Dispatcher

1044